



Project no. 022717 (SSP 8)

UNCOVER

UNderstanding the Mechanisms of Stock ReCOVERy

SIXTH FRAMEWORK PROGRAMME

PRIORITY TP 8.1

Integrating and Strengthening the European Research Area – Scientific Support to Policies
SPECIFIC TARGETED RESEARCH OR INNOVATION PROJECT

Final Plan for using and disseminating the knowledge

Period covered: 01.03.2006 – 28.02.2010

Date of preparation: 12.03.2010

Start date of project: 01.03.2006

Duration: 4 years

Project coordinator name:

Cornelius Hammer

Project coordinator organisation name:

Johann Heinrich von Thünen-Institut vTI –
Institut für Ostseefischerei vTI-OSF

Last update: April 28th 2010

Table of content

Peer-reviewed publications.....	2
Oral presentations, conference papers, posters & public press.....	8
Working groups	18
Reports and working documents.....	18
Planned and submitted publications (as of April 28th 2010)	19

Peer-reviewed publications

- Allain, G., Petitgas, P., Lazure, P. and Grellier, P. 2007. Biophysical modelling of larval drift, growth and survival for the prediction of anchovy recruitment in the Bay of Biscay (NE Atlantic). *Fisheries Oceanography* 16:489–505.
- Allain, G., Petitgas, P., Lazure, P. and Grellier, P. 2007. The influence of environment and spawning distribution on the survival of anchovy (*Engraulis encrasicolus*) larvae in the Bay of Biscay (NE Atlantic) investigated by biophysical simulations. *Fisheries Oceanography* 16:506–514.
- Andersen, K.H. and Brander, K. 2009. Expected rate of fisheries-induced evolution is slow. *PNAS* 2009 106:11657-11660; published online before print June 29, 2009. (doi:10.1073/pnas.0901690106)
- Andersen, K.H., Farnsworth, K., Thygesen, U. H. and Beyer, J. E. 2007. The evolutionary pressure from fishing on size at maturation of Baltic cod. *Ecological Modelling* 204: 246–252.
- Andersen, K.H., Möllmann, C. and Köster, F.W. 2008. Process-based model for direct and indirect effects of climate on Central Baltic cod egg mortality. *Fisheries Oceanography* 17(2) 84–88.
- Bastardie, F., Nielsen, R. N. and Kraus, G. 2010. The eastern Baltic cod fishery: a fleet-based management strategy evaluation framework to assess the cod recovery plan of 2008. Advance Access published on September 16, 2009. *ICES Journal of Marine Science*, 2010 67: 71-86. (doi:10.1093/icesjms/fsp228)
- Bastardie, F., Vinther, M., Nielsen, J.R., Ulrich, C. and Paulsen, M.S. 2010. Stock-based vs. fleet-based evaluation of the multi-annual management plan for the cod stocks in the Baltic Sea. *Fisheries Research* 101 (2010) 188–202.
- Baumann, H., Hinrichsen, H.-H, Moellmann, C., Koester, F.W., Malzahn, A.M. and Temming, A. 2006. Recruitment variability in Baltic sprat, *Sprattus sprattus*, is tightly coupled to temperature and transport patterns affecting the larval and early juvenile stages. *Canadian Journal of Fisheries and Aquatic Sciences* 63: 2191–2201.
- Bellier, E., Planque, B. and Petitgas, P. 2007. Historical fluctuations in spawning location of anchovy (*Engraulis encrasicolus*) and sardine (*Sardina pilchardus*) in the Bay of Biscay during 1967–73 and 2000–2004. *Fisheries Oceanography*, 16: 1-15.
- Bleil, M., Oeberst, R. and Urrutia, P. 2009. Seasonal maturity development of Baltic cod in different spawning areas - importance of the Arkona Sea for the summer spawning stock. *Journal of Applied Ichthyology* (25):10-17.

- Bolle, L.J., Dickey-Collas, M., Beek, van J.K.L., Erftemeijer, P.L.A., Witte, J.I.J., Veer, van der H.W. and Rijnsdorp, A.D. 2009. Variability in transport of fish eggs and larvae. III. The effects of hydrodynamics and larval behaviour on recruitment in plaice. *Marine Ecology Progress Series* 390: 195-211.
- Browman, H.I., Law, R. and Marshall, C.T. 2008. The role of fisheries-induced evolution. *Science* 320: 427 (letter).
- Brunel, T. and Dickey-Collas, M. 2010. Effects of temperature and population density on von Bertalanffy growth parameters in Atlantic herring: a macro-ecological analysis. *MEPS* 405: 15–28.
- Daewel, U., Peck, M.A., Kühn, W., St. John, M.A., Alekseeva, I. and Schrum C. 2008. Coupling ecosystem and individual-based models to simulate the influence of environmental variability on potential growth and survival of larval sprat (*Sprattus sprattus* L.) in the North Sea. *Fisheries Oceanography* 17:333-351.
- Dailianis, T., Limborg, M., Hanel, R., Bekkevold, D., Lagnel, J., Magoulas, A. and Tsigenopoulos, C.S. 2008. Characterization of nine polymorphic microsatellite markers in sprat (*Sprattus sprattus* L.). *Molecular Ecology Resources* 8:861-863
- Damme van, C.J.G., Bolle, L.J., Fox, C.J., Fossum, P., Kraus, G., Munk, P., Rohlf, N., Witthames, P. and Dickey-Collas, M. 2009. A reanalysis of North Sea plaice spawning-stock biomass using the annual egg production method. *ICES J Mar Sci.* 66: 1999–2011.
- Damme van, C.J.G., Dickey-Collas, M., Rijnsdorp, A.D. and Kjesbu, O.S. 2009. Fecundity, atresia and spawning strategies of Atlantic herring (*Clupea harengus*). *Can J Fish Aquat Sci.* 66: 2130-2141.
- Davidson, D. and Marshall, C.T. 2010. Are morphometric indices accurate indicators of stored energy in herring *Clupea harengus*? *Journal of Fish Biology* (2010) 76, 913–929
- Dickey-Collas, M., Bolle, L.J., Beek, van J.K.L. and Erftemeijer, P.L.A. 2009. Variability in transport of fish eggs and larvae. II. The effects of hydrodynamics on the transport of Downs herring larvae. *Marine Ecology Progress Series* 390: 183-194.
- Dickey-Collas, M., Nash, R.D.M., Brunel, T., Damme van, C.J.G. Marshall, C.T., Payne, M.R., Corten, A., Geffen, A.J., Peck, M.A., Hatfield, E.M.C., Hintzen, N.T., Enberg, K., Kell, L.T. and Simmonds, E.J. 2010. Lessons learned from the stock collapse and recovery of North Sea herring: A review. *ICES J Mar Sci.* 67: 000-000.
- Dolgov, A.V. 2009. Trophic structure of the Barents Sea fish assemblage with special reference to the cod stock recoverability. *Progress in Oceanography* 81:165–179.
- Eero, M., Köster, F.W. and MacKenzie, B.R. 2008. Reconstructing historical stock development of Atlantic cod (*Gadus morhua*) in the eastern Baltic Sea before the beginning of intensive exploitation. *Can. J. Fish. Aquat. Sci.* 65: 2728–2741.
- Eero, M., Köster, F.W., Plikshs, M. and Thurow, F. 2007. Eastern Baltic cod (*Gadus morhua callarias*) stock dynamics: Extending the analytical assessment back to the mid-1940s. *ICES Journal of Marine Science: Journal du Conseil* 64: 1257-1271.
- Eero, M., MacKenzie, B.R., Karlsdottir, H.M. and Gaumiga, R. 2007. Development of international fisheries for the eastern Baltic cod (*Gadus morhua*) during the late 1880s until 1938. *Fish. Res.* 87: 155-166. (doi:10.1016/j.fishres.2007.02.015)
- Enberg, K., Jørgensen, C., Dunlop, E.S., Heino, M., Dieckmann, U. 2009. Implications of fisheries-induced evolution for stock rebuilding and recovery. *Evolutionary Applications* 2: 394–414
- Fernandes, J.A., Irigoien, X., Goikoetxea, N., Lozano, J.A., Inza, I., Pérez, A. and Bode, A. 2009. Fish recruitment prediction, using robust supervised classification methods. *Ecological Modelling* 221 (2010)338-352.
- Fiksen, Ø., Jørgensen, C., Kristiansen, T., Vikebø, F. and Huse, G. 2007. Linking behavioural ecology and oceanography: how larval behaviour determines growth, mortality and dispersal. *Mar Ecol Prog Ser* 347:195–205. (doi: 10.3354/meps06978)
- Gjøsæter, H., Bogstad, B. and Tjelmeland, S. 2009. Ecosystem effects of three capelin stock collapses in the Barents Sea. In: Haug, T., Røttingen, I., Gjøsæter, H. and Misund, O. A. (Eds.) 2009. Fifty

- Years of Norwegian-Russian Collaboration in Marine Research. Thematic issue No. 2, Marine Biology Research 5(1):40-53.
- Goarant, A., Petitgas, P. and Bourriau, P. 2007. Anchovy (*Engraulis encrasicolus*) egg density measurements in the Bay of Biscay: evidence for the spatial variation in egg density with sea surface salinity. Marine Biology, 151, 1907-1915.
- Haus, H., and Peck, M.A. 2009. Comparing observed and modeled growth of larval herring (*Clupea harengus*): Testing individual-based model (IBM) parameterizations Scientia Marina 73S1:37-45.
- Hinrichsen, H.-H., Huwer, B., Makarchouk, A., Neuenfeldt, S., Petereit, C., Schaber, M. 2009. Climate-driven long-term evolution of oxygen concentration in the Baltic Sea: potential consequences for the Baltic cod stock. ICES CM 2009 / E:06.
- Hinrichsen, H.-H., Kraus, G., Böttcher, U., and Köster, F. 2009. Identifying eastern Baltic cod nursery grounds using hydrodynamic modelling: knowledge for the design of Marine Protected Areas. – ICES Journal of Marine Science, 66: 101–108.
- Huret, M., Gohin, F., Delmas, D., Lunven, M. and Garçon, V. 2007. Use of SeaWiFS data for light availability and parameter estimation of a phytoplankton production model of the Bay of Biscay. J Mar Syst 65:509-531
- Huret, M., Struski, C., Léger, F., Petitgas, P., Lazure, P. and Sourisseau, M. 2009. Modélisation couplée physique-biogéochimie du golfe de Gascogne sur la période 1971-2007. IFREMER, Nantes, R.INT.DOP/EMH/ 2009-01, 26pp. In French.
- Huse, G. and Ellingsen, I.H. 2008. Capelin migrations and climate change - a modelling analysis. Climatic Change 87:177-191.
- Huse, G., Salthaug, A. and Skogen, M.D. 2008. Indications of a negative impact of herring on recruitment of Norway pout. ICES J Mar Sci 65:906-911.
- Husebø, Å., Stenevik, E.K., Slotte, A., Fossum, P., Salthaug, A., Vikebø, F. and Folkvord, A. 2009. Effects of hatching time on year-class strength in Norwegian spring-spawning herring (*Clupea harengus* L.). ICES Journal of Marine Science 66 (8): 1710-1717. (doi:10.1093/icesjms/fsp150)
- Huver, B. 2009. The recruitment process in Baltic cod. Ph.D. thesis, University of Aarhus: 212pp.
- Huwer, B., Storr-Paulsen, M., Riisgård, H.U., Haslob, H. 2008. Horizontal and vertical distribution of the invasive ctenophore *Mnemiopsis leidyi* in the central Baltic Sea, November 2007. Aquat Invasions 3:113–124.
- Irigoiien X., Fiksen, Ø., Cotano, U., Uriarte, A., Alvarez, P., Arrizabalaga, H., Boyra, G., Santos, M., Sagarminaga, Y., Otheguy, P., Etxebeste, E., Zarauz, L., Artetxe I. and Motos, L. 2007. Could Biscay Bay Anchovy recruit through a spatial loophole? Progress in Oceanography 74 (2-3): 132-148
- Irigoiien, X., Cotano, U., Boyra, G., Santos, M., Alvarez, P., Otheguy, P., Etxebeste, E., Uriarte, A., Ferrer, L., and Ibaibarriaga, L. 2008. From egg to juvenile in the Bay of Biscay: spatial patterns of anchovy (*Engraulis encrasicolus*) recruitment in a non-upwelling region. Fisheries Oceanography 17: 446-462.
- Kell, L.T., Mosqueira, I., Grosjean, P., Fromentin, J.-M., Garcia, D., Hillary, R., Jardim, E., Mardle, S., Pastoors, M.A., Poos, J., Scott, F. and Scott, R.D. 2006. FLR: An open source fisheries library or framework for the evaluation of management strategies. ICES Symposium on Fisheries Management Strategies, Galway, June 2006
- Kell, L.T., Nash, R.D.M., Dickey-Collas, M., Pilling, G.M. and Roel, B.A. (submitted). Lumpers or splitters? Evaluating recovery and management plans for metapopulations of herring. ICES Journal of Marine Science, 66: 000-000
- Kell, L.T., Nash, R.D.M., Dickey-Collas, M., Pilling, G.M., Hintzen, N.H. and Roel, B.A. 2009. Lumpers or splitters? Evaluating recovery and management plans for metapopulations of herring. ICES J Mar Sci 66: 1776-1783.
- Köster, F.W., Vinther, M., MacKenzie, B.R., Eero, M. and Plikshs, M. 2009. Environmental Effects on Recruitment and Implications for Biological Reference Points of Eastern Baltic Cod (*Gadus morhua*). J. Northw. Atl. Fish. Sci., 41: 205–220. doi:10.2960/J.v41.m636

- Kraus, G., Diekmann, R., Tomkiewicz, J. and Köster, F.W. 2008. Seasonal prevalence and intensity of follicular atresia in Baltic cod *Gadus morhua* L. J. Fish Biol., 72: 831-847.
- Kraus, G., Pelletier, D., Dubreuil, J., Möllmann, C., Hinrichsen, H.H., Bastardie, F., Vermad, Y. and Mahevas, S. 2009. A model-based evaluation of the performance of Marine Protected Areas as a fishery management measure for a stock facing strong environmental variability - the example of Eastern Baltic cod (*Gadus morhua callarias* L.). ICES J. Mar. Sci., 66: 109-121.
- Kristiansen, T., Fiksen, Ø. and Folkvord, A. 2007. Modelling feeding growth and habitat selection in larval Atlantic cod (*Gadus morhua*): Observations and model predictions in a macrocosm. Can J Fish Aquat Sci 64:136-151
- Kristiansen, T., Jørgensen, C., Lough, R., Vikebø, F. and Fiksen, Ø. 2009. Modeling rule-based behavior: habitat selection and the growth-survival trade-off in larval cod. Behavioral Ecology. (doi:10.1093/beheco/arp023)
- Kristiansen, T., Vikebø, F., Sundby, S., Huse, G. and Fiksen, Ø. 2009. Modeling growth of larval cod (*Gadus morhua*) in large-scale seasonal and latitudinal environmental gradients. Deep Sea Research Part II: Topical Studies in Oceanography, Volume 56, Issue 21-22, October 2009, pp. 2001-2011. (doi:10.1016/j.dsr2.2008.11.011)
- Kuhlbrodt, T., Rahmstorf, S., Zickfeld, K., Vikebø, F., Sundby, S., Hofmann, M., Link, P., Bondeau, A., Cramer, W. and Jaeger, C. 2009 An integrated assessment of changes in the thermohaline circulation. Climatic Change, Vol. 96, No. 4 (1 October 2009), pp. 489-537. (doi:10.1007/s10584-009-9561-y)
- Lilly, G.R. 2008. Decline and recovery of Atlantic cod (*Gadus morhua*) stocks throughout the North Atlantic. Pp. 67-88, In: Krouse, G.H., Drinkwater, K., Ianelli, J.N., Link, J.S., Stram, D.L., Weststad, V. and Woodby, D. (Eds.) Resiliency of gadid stocks to fishing and climate change. Proceeding of the 24th Lowell Wakefield Symposium held in Anchorage Alaska 31 October-3 November, 2006. Alaska Sea Grant College Program, Anchorage, Alaska.
- Limborg, M.T., Pedersen, J.S., Hemmer-Hansen J., Tomkiewicz, J. and Bekkevold, D. 2009. Genetic population structure of European sprat (*Sprattus sprattus* L.): differentiation across a steep environmental gradient in a small pelagic fish. Marine Ecology Progress Series 379: 213-224.
- Lindgren, M., Möllmann, C., Nielsen, A. and Stenseth, N.C. 2009. Preventing the collapse of the Baltic cod stock through an ecosystem-based management approach. PNAS, Vol. 106, No. 34, August 25, 2009, pp. 14722-14727.
- Lindgren, M., Möllmann, C., Nielsen, A., Brander, K., and MacKenzie, B.R. 2010. Ecological forecasting under climate change – the case of Baltic cod. Proc. Roy. Soc. Lond. B. (doi: 10.1098/rspb.2010.0353)
- Lindstrøm, U., Smout, S., Howell, D. and Bogstad, B. 2009. Modelling multispecies interactions in the Barents Sea ecosystem with special emphasis on minke whales, cod, herring and capelin. Deep Sea Research Part II: Topical Studies in Oceanography, Vol. 56, Issue 21-22, pp. 2068-2079. (doi:10.1016/j.dsr2.2008.11.017)
- Mantzouni, I. and MacKenzie, B.R. 2008. Hierarchical modeling of temperature and habitat effects on carrying capacity and maximum reproductive rate of North Atlantic cod in the Baltic Sea, Gulf of St. Lawrence and throughout the North Atlantic. ICES CM 2008/J:07.
- Mantzouni, I. and MacKenzie, B.R. 2010. Productivity responses of a widespread marine piscivore, *Gadus morhua*, to oceanic thermal extremes and trends. Proc. R. Soc. B published online 10 February 2010. doi: 10.1098/rspb.2009.1906
- Mantzouni, I., Sørensen, H., O'Hara, R.B. and MacKenzie, B.R. 2010. Hierarchical modelling of temperature and habitat size effects on population dynamics of North Atlantic cod. – ICES Journal of Marine Science, 67: 000–000.
- Marshall, C.T. 2009. Implementing information on stock reproductive potential in fisheries management: the motivation, the challenges and the opportunities. In: Jakobsen, T., Fogarty, M., Megrey, B.A. and Moksness, E. (eds.) Fish Reproductive Biology and its implications for Assessment and Management, pp. 395-420. Wiley-Blackwell Publishing. ix + 429 pp.

- Marshall, C.T., and McAdam, B.J. 2007. Integrated perspectives on genetic and environmental effects on maturation can reduce potential for errors of inference. *Mar. Ecol. Prog. Ser.* 335: 301-310.
- Marshall, C.T., Needle, C.L., Thorsen, A., Kjesbu, O.S., and Yaragina, N.A. 2006. Systematic bias in estimates of reproductive potential of an Atlantic cod (*Gadus morhua*) stock: implications for stock–recruit theory and management. *Can. J. Fish. Aquat. Sci.* 63:980-994.
- Morgan, M.J., Murua, H., Kraus, G., Lambert, Y., Marteinsdóttir, G., Marshall, C.T., O'Brien, L. and Tomkiewicz, J. 2009. The evaluation of reference points and stock productivity in the context of alternative indices of stock reproductive potential. *Can. J. Fish. Aquat. Sci.* 66: 404-414.
- Nash, R.D.M., Dickey-Collas, M. and Kell, L.T. 2009. Stock and recruitment in North Sea herring (*Clupea harengus*); compensation and depensation in the population dynamics. *Fisheries Research* 95: 88-97.
- Nash, R.D.M., Kjesbu, O.S., Trippel, E.A., Finden, H. and Geffen, A.J. 2008. The potential importance of the paternal contribution to the 'Stock Reproductive Potential' of North-East Arctic cod (*Gadus morhua*). *Journal of Northwest Atlantic Fishery Science* 41: 71-83.
- Nielsen, E.E. and Møller Hansen, M. 2008. Waking the dead: the value of population genetic analyses of historical samples. *Fish and Fisheries* 9: 450-461.
- Nielsen, E.E., Hemmer-Hansen, J., Larsen, P.F. and Bekkevold, D. 2009. Population genomics of marine fishes: identifying adaptive variation in space and time. *Molecular Ecology* 18 (15): 3128-3150.
- Oeberst, R., Klenz, B., Gröhsler, T., Dickey-Collas, M., Nash, R.D.M. and Zimmermann, C. 2009. When is year class strength determined in Western Baltic herring? *ICES J. Mar. Sci.* 66: 1667-1672.
- Opdal, A.F., Vikebø, F. and Fiksen, Ø. 2008. Relationships Between Spawning Ground Identity, Latitude and Early Life Thermal Exposure in Northeast Arctic Cod? *Journal of Northwest Atlantic Fishery Science* 41:13-22.
- Peck, M.A. and Buckley, L.J. 2008. Measurements of larval Atlantic cod (*Gadus morhua*) routine metabolism and individual-based modeling. *J Appl Ichthyol* 24:1-6.
- Pecquerie, L. 2007. Bioenergetic modelling of growth, development and reproduction of a small pelagic fish : anchovy in the Bay of Biscay. PhD doctoral thesis. Ifremer.
- Pecquerie, L., Petitgas, P. and Koojiman, S.A.L.M. 2009. Modeling fish growth and reproduction in the context of the Dynamic Energy Budget theory to predict environmental impact on anchovy spawning duration. *Journal of Sea Research* 62: 93-105.
- Petereit, C., Hinrichsen, H.-H., Voss, R., Kraus, G., Freese, M., and Clemmesen, C. 2009 The influence of different salinity conditions on egg buoyancy and development and yolk sac larval survival and morphometric trails of Baltic sprat (*Sprattus sprattus balticus* Schneider), *Scientia Marina* 73S1:59-72.
- Petitgas, P., Goarant, A., Masse, J. and Bourriau, P. 2009. Combining acoustic and CUFES data for the quality control of fish-stock survey estimates. - *ICES Journal of Marine Science*, 66: 1384-1390.
- Petitgas, P., Magri, S., and Lazure, P. 2006. One-dimensional biophysical modelling of fish egg vertical distribution in shelf seas. *Fisheries Oceanography*, 15: 413-428.
- Planque, B. and Buffaz, L. 2008. Quantile regression models for fish recruitment environment relationships: four case studies. *Marine Ecology-Progress Series, Inter-Research*, 357, 213-223.
- Planque, B., Bellier, E. and Lazure, P. 2007. Modelling potential spawning habitat of sardine (*Sardina pilchardus*) and anchovy (*Engraulis encrasicolus*) in the Bay of Biscay. *Fisheries Oceanography*, 16: 16-30.
- Poulsen, B., Holm, P. and MacKenzie, B. R. 2007. A long-term (1667-1860) perspective on impacts of fishing and environmental variability on fisheries for herring, eel and whitefish in the Limfjord, Denmark. *Fish. Res.* 87: 181-195.
- Preciado, I., Velasco, F. and Olaso, I. 2008. The role of pelagic fish as forage for demersal fish community in the southern Bay of Biscay. *Journal of Marine Systems* 72: 407-417.

- Sandeman, L.R., Yaragina, N.A. and Marshall, C.T. 2008. Factors contributing to inter- and intra-annual variation in condition of cod *Gadus morhua* in the Barents Sea. *J. Anim. Ecol.* 77: 725-734.
- Schaber, M., Hinrichsen, H.-H., Neuenfeldt, S. and Voss, R. 2009. Hydroacoustic resolution of small-scale vertical distribution of Baltic cod (*Gadus morhua* L.) – habitat choice and limits during spawning. *Marine Ecology Progress Series* 377:239-253.
- Schmidt, J.O., Damme van, C., Röckmann, C. and Dickey-Collas, M. 2009. Recolonisation of spawning grounds in a recovering fish stock: recent changes in North Sea herring. *Scientia Marina*. 73S1: 1253-157
- Segers, F.H.I.D., Dickey-Collas, M. and Rijnsdorp, A.D. 2007. Prey selection by North Sea herring (*Clupea harengus* L.), with special regard to fish eggs. *ICES J Mar Sci* 64: 60-68.
- Simon, M. 2007. Classification of maps of species assemblages: application to small pelagic fish in the Bay of Biscay. Report of Master Degree. Ifremer.
- Stenevik, E.K., Sundby, S. and Agnalt, A.L. 2008. Buoyancy and vertical distribution of Norwegian coastal cod (*Gadus morhua*) eggs from different areas along the coast. *ICES Journal of Marine Science: Journal du Conseil* 65 (7):1198-1202.
- Storr-Paulsen, M. and Huwer, B. 2008. Changes in distribution and lengths of *Mnemiopsis leidyi* in the central Baltic Sea between fall and spring. *Aquatic Invasions* 3: 429-434.
- Støttrup, J.G., Overton, J.L., Paulsen, H., Möllmann, C., Tomkiewicz, J., Pedersen, P.B. and Lauesen, P. 2008. Rationale for restocking the eastern Baltic. *Reviews in Fisheries Science* 16, 58-64.
- Strehlow, H.V. 2010. The multiannual management plan for cod in the Baltic Sea: reactions and sentiments in two German fishing communities. – *ICES Journal of Marine Science*, 67: 000–000.
- Sundby, S. and Nakken, O. 2008. Spatial shifts in spawning habitats of Arcto-Norwegian cod related to multidecadal climate oscillations and climate change. *ICES Journal of Marine Science: Journal du Conseil* 65(6):953-962.
- Temming, A., Flöter, J. and Ehrich, S. 2007. Predation hot spots: Large scale impact of local aggregations. *Ecosystems* 10: 865–876.
- Tomkiewicz, J., Støttrup, J., Jacobsen, C., Røjbek, M., and Köster, F.W. 2009. Influence of lipids and fatty acid composition in Eastern Baltic cod (*Gadus morhua* L.) and its prey with emphasis on the timing of maturation and spawning. *ICES CM* 2009/C:10.
- Urtizberea, A., Fiksen, Ø., Folkvord, A. and Irigoien, X. 2008. Modelling growth of larval anchovies including diel feeding patterns, temperature and body size. *J Plank Res* 30:1369-1383.
- Vikebø, F., Jørgensen, C., Kristiansen, T. and Fiksen, Ø. 2007. Drift, growth and survival of larval Northeast Arctic cod with simple rules of behaviour. *Mar Ecol Prog Ser* 347:207–219.
- Vikebø, F., Sundby, S., Ådlandsvik, B. and Otterå, O. 2007. Impacts of a reduced thermohaline circulation on transport and growth of larvae and pelagic juveniles of Arcto-Norwegian cod (*Gadus morhua*). *Fisheries Oceanography* 16:3, 216-228.
- Voss, R., Dickmann, M., Hinrichsen, H.-H., and Floeter, J., 2008. Environmental factors influencing larval sprat *Sprattus sprattus* feeding during spawning time in the Baltic Sea. *Fisheries Oceanography* 17 (3), 219–230.
- Wakeford, R.C., Agnew, D.J. and Mees, C.C. 2009. Review of Institutional Arrangements and Evaluation of Factors Associated with Successful Stock Recovery Plans, *Reviews in Fisheries Science*, 17 (2): 190–222. (doi:10.1080/10641260802667075)
- Witthames, P.R. and Marshall, C.T. 2008. The importance of reproductive dynamics in fish stock assessments. In: Payne, A., Cotter, J. and Potter, T (eds.) *Advances in Fisheries Science. 50 years on from Beverton and Holt*, pp. 306-324. Blackwell Publishing, Oxford. xxi + 547 pp.
- Yaragina, N.A., Bogstad, B. and Kovalev, Yu.A. 2009. Reconstructing the time series of abundance of Northeast Arctic cod (*Gadus morhua*), taking cannibalism into account. In: Haug, T., Røttingen, I., Gjørseter, H. and Misund, O.A. (Eds.). 2009. *Fifty Years of Norwegian-Russian Collaboration in Marine Research. Thematic issue No. 2, Marine Biology Research* 5(1):75-85.

Oral presentations, conference papers, posters & public press

- Andersen K.H. and Brander K. (2009) Expected rate of fisheries-induced evolution is slow. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Andersen, K.H. and Rice, J. (2009) Indirect effects of recovery strategies. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Andonegi, E., Quincozes, I., Howell, D. and Stefansson, G. (2009) A multi-species model in the Bay of Biscay using Gadget: implementing European hake and anchovy relationships. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Bastardie, F., Vinther, M., Nielsen, J.R., Ulrich, C. and Storr Paulsen, M. (2009) Evaluation of the multiannual plan for the cod stocks in the Baltic Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Brunel, T. (2009) Influence on the age composition of the spawning stock on recruitment: a meta-analysis. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Cerviño, S., Howell, D., Velasco, F., Preciado, I., Olaso, I., Punzón, A., Jardim, E. and Cardador, F. (2009) Assessing the importance of cannibalism for recovery plan in Southern hake using age-length structured model. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Daewel, U., Peck, M.A., St. John, M.A. and Schrum, C. (2007) Comparing habitat suitability for sprat (*Sprattus sprattus*) and cod (*Gadus morhua*) in the North Sea: first results of a modelling study. ICES CM/G:19, 17-21-Sept., 2007, Helsinki, Finland.
- Dankel, D.J., Heino, M. and Dieckmann, U. (2009) Can integrated assessments reconcile stakeholder conflicts of interest in marine fisheries management? ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Da-Rocha, J.-M., Cerviño, S., Fernandez, C. and Gutierrez, M. J. (2009) The Economic Assessment of the Southern hake recovery plan. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Delaney, A.E. (2009) CPF Reform, vulnerability, and resilience in Fishing Communities in The Role of Small scale fisheries in sustaining fishing communities. In: Workshop on Common Fisheries Policy Reform in the European Union and Small Scale Fisheries: Paving the Way to Sustainable livelihoods and thriving fishing communities. Brussels, Belgium, 28 September 2009. (Invited Speaker)
- Delaney, A.E. (2009) Who would have thought it would come to this? Social impact assessments and community sustainability in North Sea fishing communities. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Delaney, A.E. (2009) Ye kin nae say no: Social Connectedness, Community Sustainability and Resource Rights in Fishing Communities. European Society for Rural Sociology: WG 5.7 Sustainable Fishing Communities: Transformations, Contradictions, and the Challenges for Governance. Vaasa, Finland. 18 August 2009.
- Delaney, Alyne E. (2007) "Community Level Impacts of Stock Recovery under the Common Fisheries Policy". In the panel, The Management of Complex Commons, European Society for Ecological Economics, Leipzig, Germany, June 5-8, 2007.
- Delaney, Alyne E. (2007) "Threats and Benefits to Cultural Services under European Fisheries Management Recovery Plans". In the panel, Valuing Biodiversity in European Coastal Communities. People and the Sea IV, Center for Maritime Research (MARE). July 4-7, 2007 Innovations in Maritime Research, Amsterdam, the Netherlands.
- Delaney, Alyne E. (2008) "Sea Clearances: Social Impacts of the Common Fisheries Policy on Scottish Fishing Communities. Stirling University, Stirling, Scotland, 14 March, 2008.

- Delaney, Alyne E. (2008) Invited Speaker: The social impacts of fisheries policies on coastal communities. *Managing Change in Coastal Communities*. North Sea Women's Network, Scottish Government, and North Sea Commission funded symposium. 13-14 May 2008, Edinburgh, Scotland, UK.
- Delaney, Alyne E. (2008) *North Sea Fishing Communities: Understanding resource rights and the social impacts of the Cod Recovery Plan*. International Association for the Study of the Commons, Cheltenham, England, July 2008.
- Dickey-Collas, M., Nash, R.D.M., Brunel, T., van Damme, C.J.G., Marshall, C.T., Payne, M.R., Corten, A., Geffen, A.J., Peck, M.A., Hatfield, E.M.C, Hintzen, N., Enberg, K., Kell, L. and Simmonds, J. (2009) What can we learn from the stock collapse and recovery of North Sea herring? A review. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Dingsør, G.E., Huse, G. and Llope, M. (2009) Spatial distribution and population dynamics of herring and cod in the North Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Dolgov, A.V. (2007) Trophic structure of the Barents Sea fish community with the special reference to the cod stock recovery ability. ICES CM 2007/D:08. 17 pp. (oral presentation)
- Dolgov, A.V. (2009) Influence of intraspecific and interspecific food competition on ability of the Barents Sea cod stock to recover. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Dorrien, C. von (2006) "Das EU-Projekt UNCOVER. Deutsche Wissenschaftliche Kommission (DWK), Rostock, 21.6.2006 Dorrien, C. von (2006): Understanding the Mechanisms of Stock Recovery: EU Project UNCOVER will develop recovery strategies. ICES Annual Science Conference, Maastricht, 17. – 22.9.2006. (oral presentation)
- Dorrien, C. von (2006) The EU-Project UNCOVER. School of Biological Sciences, University of Aberdeen, 26.9.2006. (oral presentation)
- Dorrien, C. von (2007) EU-Project UNCOVER: State of the art and perspectives of recovery for the Baltic Sea. BALTIC FISHERIES DIALOGUE: A Dialogue Workshop on Solutions for the Western Baltic Sea, IOR, Rostock, 20.-21. Juni 2007. (oral presentation)
- Dorrien, C. von (2007) How to define recovery strategies that work? PROFET Policy: EU FP5/FP6 Baltic Fisheries Research Results Workshop, Vilnius, Lithuania, 19-20 April 2007. (oral presentation)
- Eero, M. (2006) Atlantic Cod Recruitment: A Comparative Approach. 24th Lowell Wakefield Fisheries Symposium, Anchorage, Alaska, USA, Oct. 31–Nov. 3, 2006
- Eero, M., Jarre, A., Ojaveer, H., Tomczak, M.T., Lindegren, M. and Köster, F.W. (2009) An ecosystem-based framework for tracking performance of fish stocks and related forcings using fuzzy-logic approach. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Eero, M., MacKenzie, B.R., Karasiova, E. and Köster, F.W. (2006) Fluctuations in eastern Baltic cod and sprat stocks in the 20th century in relation to environmental variability and trophic interactions. Alaska SeaGrant Symposium "Resiliency of Gadid stocks to fishing and climate change" Anchorage, Alaska, USA Oct. 31–Nov. 3, 2006
- Eero, M., MacKenzie, B.R., Köster, F.W. and Karasiova, E. (2007) Relative fluctuations in eastern Baltic cod stock in the first half of the 20th century in relation to environmental variability and trophic interactions. MarFISH workshop "Long term spatial impact of natural variability and human induced changes in marine ecosystems" Roskilde, Denmark, February 2007
- Enberg, K., Dunlop, E.S., Heino, M., Dieckmann, U. (2006) Ecological and evolutionary recovery of exploited fish stocks. ICES CM 2006 H: 18. (oral presentation)
- Enberg, K., Dunlop, E.S., Heino, M., Dieckmann, U. (2006) Ecological and evolutionary dimensions of stock recovery. The Sixth William R. and Lenore Mote International Symposium in Fisheries Ecology: Life History in Fisheries Ecology & Management. Sarasota, Florida, USA, 14.-16.11. 2006 (oral presentation)

- Enberg, K., Dunlop, E.S., Heino, M., Dieckmann, U. (2007) Do fisheries-induced life-history changes influence stock recovery? Ecosystem Dynamics in the Norwegian Sea and Barents Sea. Tromsø, Norway, 12.-15.3. 2007. (oral presentation)
- Enberg, K., Dunlop, E.S., Heino, M., Dieckmann, U. (2007) How do harvest-induced life-history changes influence population renewal processes? 11th Congress of the European Society for Evolutionary Biology, Uppsala, Sweden, 20-25 August 2007. (poster presentation)
- Enberg, K.S., Jørgensen, C., Dunlop, E.S., Heino, M. and Dieckmann, U. (2009) Implications of fisheries-induced evolution for stock rebuilding and recovery. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Fernandes, J.A., Irigoien, X., Goikoetxea, N., Lozano, J.A. Inza, I. and Perez, A. (2009) Robust approaches to machine learning techniques for recruitment prediction in fisheries. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Filin, A. (2009) Simulation of capelin impact on cod stock recovery rate in the Barents Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Garcia, D. and Prelezo, R. (2009) Fleet reaction to management advice, a key process for success of management plans. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Gårdmark, A., Möllmann, C., Neuenfeldt, S., Blenckner, T., Lindegren, M., Aro, E., Bastardie, F., Heikinheimo, O., Müller-Karulis, B., Niiranen, S., Tomczak, M.A., van Leeuwen, A. and Wikström, A. (2009) Biological Ensemble Modeling of the Eastern Baltic cod future. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Grygiel, W. and Orłowski, A. (2009) The clupeoid stocks size and distribution in the southern and eastern Baltic (autumn 2005-2007), determined by the acoustic method. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Hammer, C. and Dähnhardt, A. (2009) Mechanismen der Erholung übernutzter Fischbestände. Wissensmeer, Ausgabe 13/April 2009. In German. (public press)
- Hammer, C. and Dähnhardt, A. (2009) UNCOVERing what we already know: The Mechanisms of Fish Stock Recovery. ICES Insight, Issue No. 46/September 2009. (public press)
- Hammer, C., von Dorrien, C., Hopkins, C.C.E., Köster, F.W., Neuenfeldt, S., St. John, M. A. and Wilson, D.C. (2009) UNCOVER: Fish Stock Recovery Strategies – Lessons learned in the Baltic Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Hammer, C.; Dorrien, C. von (2006): Understanding the mechanisms of stock recovery – EU Project UNCOVER will develop recovery strategies. ICES Annual Science Conference, Maastricht, The Netherlands, 17. – 26.9. 2006, ICES Council Meeting Paper R 01: 11 pp.
- Haslob, H., Tomkiewicz, J., Hinrichsen, H-H. and Kraus, G. (2009) Spatial and temporal variation in Baltic sprat (*Sprattus sprattus balticus* S.) batch fecundity. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Hinrichsen, H.H. (2007) Coupled processes between physics and biology, ECONORTH-Symposium, Tromsø, Norway, 14.03.2007. (invited talk)
- Hinrichsen, H.H. (2007) Identification of Eastern Baltic cod nursery grounds: a hydrodynamic modeling approach, NAFO-Symposium on Reproductive and Recruitment Processes on Exploited Marine Fish Stocks, Lisbon, Portugal, 02.10.2007.
- Hinrichsen, H.H. (2007) Longterm variability of Baltic Sea winter water mass formation and the impact on secondary and tertiary production, Baltic Sea Science Conference, Rostock, Germany, 21.03.2007.

- Hinrichsen, H.H. (2007) Spatial and temporal variability of Baltic larval sprat otolith growth: a modeling study combining abiotic and biotic environmental variables, Larval Fish Conference, St.Johns, Canada, 09.07.2007.
- Hinrichsen, H.H., Dickey-Collas, M., Huret, M., Peck, M.A. and Vikebø, F. (2009) Evaluating the suitability of coupled bio-physical models for the development of recovery plans of collapsed fish populations. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Hinrichsen, H.-H., Huwer, B, Schaber, M., Kraus, G. (2008) Marine protected areas as a fishery management tool for eastern Baltic cod: coupling of observational data with hydrodynamic model simulations. ICES Annual Science Conference, Halifax, 24. September 2008.
- Hinrichsen, H.-H., Kraus, G. (2008) Settlement probability of juvenile cod and the identification of nursery grounds in the eastern Baltic: a hydrodynamic modelling approach. Annual Larval Fish Conference, Kiel, 6. August 2008.
- Howell, D. and Bogstad, B. (2009) A multispecies Gadget model as an operating model for the Barents sea model description and hindcast results. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Howell, D. and Bogstad, B. (2009) Assessing the likely consequences of differing management rules and environmental factors in the Barents Sea using a multispecies Gadget operational model. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Howell, D., Filin, A., Bogstad, B., Oganin, I. and Stiansen, J.E. (2009) Uncertainty due to fisheries model formulation; a comparison of Gadget and STOCOBAR models for Northeast Arctic cod. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Huret, M., Petitgas, P., Grellier, P. and Bourriau, P. (2009) The space-time variability of anchovy larval survival in the Bay of Biscay using a biophysical model. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Huse, G. and Ellingsen, I. (2007) Capelin migrations and climate change - a modelling analysis, Poster årsmøte i Norske Havforskere Forening, Bergen 24-26 Oktober, 2007
- Huse, G. and Ellingsen, I. (2009) Caplin migrations and climate change – a modeling analysis. Arctic frontiers 2009. Tromsø. 21-23 January 2009.
- Huse, G., Fernø, A. and Holst, J.C. (2006) Numerical domination and herring migrations ICES Annual Science Conference, Maastricht, The Netherlands.
- Huse, G., Fernø, A. and Holst, J.C. (2009) Establishment of new wintering areas in NSS herring co-occur with peaks in recruit to spawner ratio. ICES ASC. Berlin. 21-25 September.
- Huse, G., Salthaug, A. and Skogen, M.D. (2006) Is Norway pout recruitment affected by herring predation? WKAMF workshop, Nantes, France.
- Huwer, B., Hinrichsen, H.-H., Böttcher, U., Köster, F.W. (2008) Coupling otolith microstructure and hydrodynamic modelling to investigate the early life history of Baltic cod. EUROCEANS Final Conference, Rom, Italy.
- Janke, N., J. Støttrup, M.A. Peck. The effects of salinity and day length on the growth and survival of Baltic cod (*Gadus morhua*) larvae in the laboratory. Poster Presentation 31st Larval Fish Conference, St.Johns, Newfoundland, Canada 10-13 July 2007
- Järvik, A., Raid, T., Järv, L. and Sadul, J.-V. (2009) The social aspects of overexploitation of fish resources on small-scale fishery: ways of mitigation the effects on coastal communities. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Karasiova E, Voss R, Eero M (2008) Long-term dynamics in eastern Baltic cod spawning time: from small scale reversible changes to a recent drastic shift. ICES CM 2008/J:03. (Poster)
- Kempf, A., Huse, G., Dingsør, G., Floeter, J., Temming, A. and Vinther, M. (2009) The importance of overlap – predicting North Sea cod recovery with a multi- species fisheries assessment model.

- ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Kraus, G. et al. (2007) Egg production methods to estimate the stock size of Eastern Baltic cod (*Gadus morhua*). PICES/ICES/NAFO Symposium on Reproductive and Recruitment Processes in Exploited Marine Fish Stocks. Lisbon, Portugal, 03.10.2007.
- Kraus, G. et al. (2007) Temporal and spatial distribution of spawning Baltic cod: Implications for fisheries closures. ICES European Symposium on Marine Protected Areas as a Tool for Fisheries Management and Ecosystem Conservation - emerging Science and Interdisciplinary Approaches. Murcia, Spain, 26.09.2007.
- Kraus, G., Karasiova, E. M., Voss, R., Köster, F. W., Bleil, M. and Oeberst, R. (2009) Egg production methods as a fishery independent alternative to assess the Eastern Baltic cod stock. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Kruse, G.H., Zheng, J. and Stram, D.L. (2009) Recovery of the Bristol Bay Stock of Red King Crabs under a Rebuilding Plan. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Krysov, A. (2009) Reproductive capacity of the Norwegian spring spawning herring in the period of global stock change. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Lehuta S., Mahévas, S., Vermard, Y., Le Floc'h, P., Daures, F. and Marchal, P. (2009) Fishery-based indicators of management impact : assessing relevance and robustness using a bio-economic simulation model. ICES CM 2009/O:33. (oral presentation)
- Lehuta, S., Mahévas, S., Petitgas, P. and Pelletier, D. (2007) Investigating the impact of MPA on the Bay of Biscay Anchovy fishery. European Symposium on Marine Protected Areas as a Tool for Fisheries Management and Ecosystem Conservation, Murcia, 25-28 September. (oral presentation).
- Lehuta, S., Mahévas, S., Petitgas, P., Vermard, Y., Huret, M. and Le Floc'h, P. (2009) Modelling the spatial dynamics of the Anchovy fishery in the Bay of Biscay with the simulation model ISIS-Fish : integration of information, calibration and validation. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Lindgren, M. Möllmann, C., Nielsen, A., Brander, K. and MacKenzie, B.R. (2009) Ecological forecasting under climate change – the case of Baltic cod. ICES Annual Science conference, Berlin, Germany, 21.-25.09.2009. ICES CM 2009/C:01. (Poster)
- MacKenzie, B.R. (2007) Fisheries oceanography meets fisheries conservation – opportunities for success. Invited presentation at the ICES-NAFO-PICES Symposium on Reproductive and Recruitment Processes in Exploited Marine Fish Stocks, 1-3 October 2007, Lisbon, Portugal.
- MacKenzie, B.R. (2009) Climate impact on fish stock dynamics. IDA Conference on Linking Science and Management in the Baltic Sea Ecoregion. Copenhagen, Denmark, 9.9.2009.
- MacKenzie, B.R., Horbowy, J. and Köster, F.W. (2008) Incorporating environmental variability in stock assessment - predicting recruitment, spawner biomass and landings of sprat in the Baltic. ICES Workshop on the integration of environmental information into fisheries management strategies and advice (WKEFA), Copenhagen, Denmark, June 2007.
- MacKenzie, B.R., Horbowy, J. and Köster, F.W. (2008) Incorporating environmental variability in stock assessment - predicting recruitment, spawner biomass and landings of sprat in the Baltic. ICES Annual Science Conference, Helsinki, Finland, September 2007.
- MacKenzie, B.R., Horbowy, J. and Köster, F.W. (2008) Incorporating environmental variability in stock assessment - predicting recruitment, spawner biomass and landings of sprat in the Baltic. Invited presentation. Canada Department of Fisheries and Oceans, Institut Maurice Lamontagne, Mont-Joli, Quebec, January 11, 2008.
- Mahévas, S. and Pelletier, D. (2007) Elaborating reliable quantitative diagnostics of the impact of Marine Protected Areas on fisheries using ISIS-Fish. European Symposium on Marine Protected Areas as a Tool for Fisheries Management and Ecosystem Conservation, Murcia, 25-28 September.

- Mahévas, S., Lehuta, S., Monod, H. and Vermard, Y. (2008) Running simulation designs to assess the sensitivity of management measures to fishermen reactions. ICES annual science conference ICES-CM 2008/O:10, Halifax, Canada.
- Mahévas, S., Lehuta, S., Vermard, Y. and Monod, H. (2009) Assessing the robustness of management measures to fishermen reactions within uncertainty context. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Mantzouni, I. and MacKenzie, B.R. (2008) Hierarchical modeling of temperature and habitat effects on carrying capacity and maximum reproductive rate of North Atlantic cod in the Baltic Sea, Gulf of St. Lawrence and throughout the North Atlantic. ICES CM 2008/J:07. (Poster)
- Mantzouni, I. and MacKenzie, B.R. (2009) Productivity patterns and abundance-area relationships in 3 marine fish species (cod, herring and haddock): Meta-analyses on the effects of temperature, life-history and habitat size across the N Atlantic. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Mantzouni, I. and MacKenzie, B.R. (2009) Why is haddock overtaking cod? Comparing the effects of temperature and habitat size on recruitment dynamics of both species across the North Atlantic. ICES Annual Science Conference, Berlin, Germany, 21-25.9.2009. ICES CM 2009/C:04. (Poster)
- Marshall, C.T. (2006) Can life tables be used to model the population dynamics of cod? Aberdeen Population Ecology Research Unit Symposium, University of Aberdeen, UK. Contributed oral paper.
- Marshall, C.T. (2006) To spawn or not to spawn: is that the question? Institut Maurice Lamontagne, Mont Joli, Quebec. Invited seminar.
- Marshall, C.T. (2006) Using cohort-specific values of r to describe the stock dynamics of Northeast Arctic cod School of Biological Sciences - University of Liverpool, Invited seminar.
- Marshall, C.T. (2006) Using cohort-specific values of r to describe the stock dynamics of Northeast Arctic cod. Center for Ecological and Evolutionary Synthesis - University of Oslo, Norway. Invited seminar.
- Marshall, C.T. (2007) Differences in r explain the differential resiliency of collapsed and non-collapsed cod stocks to fishing. Annual meeting of the British Ecological Society, Glasgow, UK. Contributed oral paper.
- Marshall, C.T. (2007) Differences in the intrinsic rate of population growth explain the differential resiliency of collapsed and non-collapsed cod stocks to fishing. Institute of Marine Research, Bergen, Norway. Invited seminar.
- Marshall, C.T. (2007) Intrinsic population growth rate determines the resiliency of cod stocks to fishing University of York, UK. Invited seminar.
- Marshall, C.T. (2007) Quantifying the relative influence of maturation on stock recovery. Symposium on Reproductive and Recruitment Processes of Exploited Marine Fish Stocks, Lisbon, Portugal. Keynote paper.
- Marshall, C.T. (2008) Parental effects on stock rebuilding rates Annual meeting of the American Fisheries Society – Ottawa, Canada. Contributed oral paper.
- Marshall, C.T. (2009) The capriciousness of condition indices. Institute for Marine Resources and Ecosystem Studies, The Netherlands. Invited seminar.
- Meyer, S. Hauss, H.M., Kanstinger, P., Peck, M. and Støttrup, J. (2009) Live and let die - condition indices and starvation-induced mortality thresholds during the early life of marine fish. ICES CM 2009/T:07. (Poster)
- Meyer, S., Peck, M., Janke, N., Støttrup, J.G. (2008) Growth and condition of Eastern Baltic cod (*Gadus morhua*) larvae reared under different temperatures, salinities, photoperiods and food levels. Aquaculture Europe 2008, Krakow, Poland, 15-18 September 2008. (oral presentation)
- Meyer, S., Peck, M.A. and Støttrup, J.G. (2008) Growth and condition of Eastern Baltic cod (*Gadus morhua*) larvae reared at different temperatures and prey levels. Larval Fish Conference 2008, Kiel, Germany, 4-7 August 2008. (poster presentation)

- Miller, D.C.M and Shelton, P.A. (2009) Satisficing and trade-offs: Evaluating rebuilding strategies for Greenland halibut off the east coast of Canada. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Nash, R.D.M., Ndjaula, H.O.N., Kjesbu, O.S. and Slotte, A. (2009) Norwegian Spring-Spawning Herring (*Clupea harengus*): The links between stock productivity, stock reproductive potential and recruitment. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Neuenfeldt, S. (2009) Resolving Climatic Impacts on fish stocks: an exploratory study. BS RAC, Gdynia, Poland, 7.12.2009. (oral presentation)
- Neuenfeldt, S. and Köster, F.W. (2009) Baltic cod cannibalism: Differing consequences at stock recovery versus the historic situation of cod decline? ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Oeberst, R. (2008) Distribution pattern of cod and flounder in the Baltic Sea based on international coordinated trawl surveys. ICES CM 2008/J:09, 28 pp.
- Oeberst, R., Bleil, M., Dänhardt, A., Marshall, C.T. and Reid, D.G. (2009) Long-term spatial patterns of potential individual fecundity of cod in the Baltic Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Oeberst, R., Bleil, R. (2008) Fecundity and egg quality of Baltic Sea cod stocks. UNCOVER Workshop in Kjeswick, England, 24. – 27.06.2008.
- Oeberst, R., Dickey-Collas, M., Nash, R.D.M. (2008) Mean daily growth of herring larvae based on weekly repeated cruises in the Greifswalder Bodden. ICES symposium Linking Herring: Herring: Linking biology, ecology and status of populations in the context of changing environments. Galway 2008.
- Oeberst, R., Klenz, B., Dickey-Collas, M. and Nash, R.D.M. (2008) Variability of the year-class strength of western Baltic spring spawning herring (Rügen herring) – which factors determine the year-class strength? Annual Science Conference of ICES in Halifax, Canada. 22. – 26.9.2008.
- Oeberst, R., Klenz, B., Dickey-Collas, M. and Nash, R.D.M. (2008) Variability of the year-class strength of western Baltic spring spawning herring (Rügen herring) – which factors determine the year-class strength? ICES CM 2008/Q:07, 14 pp
- Oeberst, R., Klenz, B., Gröhsler, T., Dickey-Collas, M., Nash, R.D.M., Zimmermann, C. (2008) When is year class strength determined in Western Baltic herring? ICES symposium Linking Herring: Herring: Linking biology, ecology and status of populations in the context of changing environments. Galway 2008.
- Opdal, A.F. and Vikebø, F. (2009) Disentangling the cost-benefit hypothesis of long distance spawning migrations in the Northeast Arctic cod. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Payne, M.R., Christensen, A., Munk, P., Nash, R.D.M. and Dickey-Collas, M. (2009) The role of spatial processes in North Sea herring larval survival and recruitment. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Peck, M.A. (2007) From Experiments to Models: Understanding climate impacts on early life stages of clupeid fish in the North Sea. Invited Lecture. Alfred Wegner Institute for Marine and Polar Research, Bremerhaven, Germany, 5 December 2007.
- Peck, M.A., Martin, M., Kanstinger, P. and Wuerzberg, L. (2007) Thermal physiology of Baltic herring (*Clupea harengus*): Embryonic development, and larval condition, foraging and growth. Oral Presentation. 31st Larval Fish Conference, St.Johns, Newfoundland, Canada 10-13 July 2007.
- Petitgas, P. (2008) Fish Habitat Mapping with Empirical Orthogonal Functions. ICES CM 2008/M:07. (oral presentation)
- Petitgas, P. and Secor, D. (2009) Mechanisms that sustain life cycle closure in space and time. ICES CM 2009/H:09. (oral presentation)

- Petitgas, P., Secor, D., McQuinn, I., Huse, G. and Lo, N. (2009) What is a collapsed stock? Mechanisms that sustain life cycle closure in space and time. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Preciado, I., Velasco, F. and Olaso, I. (2006) The role of pelagic fish as forage for demersal fish community in the south Bay of Biscay. X International Symposium on Oceanography of the Bay of Biscay, Vigo (Spain), April – 2006.
- Quaas, M., Ruckes, K., Requate, T., Skonhøft, A. and Voss, R. (2009) Economic optimization of the Baltic cod fishery using an age-structured model. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Quincoces, I., Garcia, D., Roa, R. and Murua, H. (2009) Introduction of natural biological variability into Northern hake Management Strategy Evaluation framework to investigate different stock-recruitment relationship and its relation with stock recovery. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Radtke, K. and Grygiel, W. (2009) Sexual maturation of cod (*Gadus morhua callarias* L.) in the southern Baltic (1990-2006). ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Rijnsdorp, A.D., van Damme, CM and Witthames, P.R. (2009) Implications of fisheries-induced impacts on the stock structure and reproductive potential on stock-recovery of a sexual dimorphic species, North Sea plaice. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Røjbek, M.C., Tomkiewicz, J., Støttrup, J.G., Jacobsen, C. and Köster, F.W. (2009) Seasonal lipid dynamics of herring and sprat in the Baltic Sea and possible implications for cod reproduction. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Sánchez, S., Uriarte, A. and Ibaibarriaga, L. (2009) Management strategy evaluation for the anchovy stock (*Engraulis encrasicolus*) in the Bay of Biscay. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Sánchez, S., Uriarte, A. and Ibaibarriaga, L. (2009) Revisiting Stock-Recruitment-Environment relationships for the Bay of Biscay anchovy (*Engraulis encrasicolus*). ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Schaber, M., Hinrichsen, H.H. and Neuenfeldt, S. (2009) How ambient habitat traits determine seasonal and spatial distribution patterns of cod *Gadus morhua* L. in the central Baltic Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Schmidt, J. and Hinrichsen, H.H (2007) Variance of nauplii abundance and diversity influences fish larval survival: a theoretical approach. GLOBEC Germany Abschluss Symposium, Hamburg 14.-15.11.2007
- Schmidt, J. and Voss, R. (2007) Dramatic increase of larval snake pipefish (*Entelurus aequoreus* L.) off North Scotland - a result of climate change? 42nd EMBS, Kiel, 27. – 31.08.2007.
- Schmidt, J., Renz, J. and Dutz, J. (2007) Vertical distribution and diel vertical migration of main copepod species in the Bornholm Basin (Baltic Sea) 4th International Zooplankton Production Symposium. Hiroshima, Japan. 28.05. – 01.06.2007.
- Schmidt, J.O., Kraus, G., Pelletier, D. and Voss, R. (2009) Testing the influence of variations in migration and recruitment on Baltic cod recovery. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Schrum, C., Alekseeva, I. and Daewel, U. (2007) Frontal production in the North Sea. ICES CM/G:33, 17-21-Sept., 2007, Helsinki, Finland. Voss, R. 2007 Application of transport scenarios in biological research. Vortrag; EUR-OCEANS 2nd Baltic System Workshop, Warnemünde.

- Strehlow, H.V. (2009) What's next? One year after the implementation of the cod recovery plan in the Baltic Sea. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Strehlow, H.V. (2009) What's Next? One Year after the Implementation of the Cod Recovery Plan in the Baltic Sea – The Case of Freest and Heiligenhafen, Germany. In the panel, Aquatic Commons and Qualms. People and the Sea V, Centre for Maritime Research (MARE), Amsterdam, The Netherlands, 8-11 July 2009. (oral presentation)
- Strehlow, H.V. and Dähnhardt, A. (2009) Ergebnisse des EU Forschungsprojekts UNCOVER. Fischerblatt 12/2009. In German. (public press)
- Subbey, S., Stiansen, J.E., Bogstad, B., Bulgakova, T. and Titov, O. (2008) Evaluating recruitment models for (Age 3) NEA cod. ICES CM 2008/AFWG:27, 10 pp.
- Temming, A., Kempf, A., Flöter, J. and Vinther, M. (2009) Recovering stocks of predators: what can managers learn from multi-species models? ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (invited keynote)
- Titov, O.V. (2009) Assessment of population recruitment abundance of Northeast Arctic cod and the Barents Sea capelin considering the environment data. ICES CM 2008/AFWG:23, 13 pp.
- Titov, O.V. (2009) Assessment of population recruitment abundance of Northeast Arctic cod considering the environment data. ICES CM 2009/AFWG:14, 10 pp.
- Titov, O.V. (2009) Trends in oxygen saturation of near-bottom layers in the Barents Sea: a possible indicator of long-term variations in the primary production? ICES CM 2009/D:12
- van Damme, C.J.G., Kjesbu, O.S., Hoek, R. and Rijnsdorp, A.D. (2009) Fecundity, atresia and maturation in North Sea plaice. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- van Overzee, H. and Rijnsdorp, A.D. (2009) A review of the implications of fisheries during the spawning season for the recovery of depleted fish stocks. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (Poster)
- Vermard, Y., Lehuta, S., Mahévas, S., Thébaud, O., Marchal, P. and Gascuel, D. (2009) Combining fleet dynamics and population dynamics for a volatile fishery: the example of the anchovy fishery of the Bay of Biscay. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Voss, R. (2007) Linking climate change and invasive species: Evaluating the impacts on the Baltic Sea ecosystem. EUR-OCEANS 2nd Baltic System Workshop, Warnemünde.
- Voss, R., Hinrichsen, H.-H., Dickmann, M. and Floeter, J. (2007) Environmental factors influencing larval sprat feeding in the Baltic Sea. 31st Annual Larval Fish Conference, St. Johns, Canada.
- Voss, R., Köster, F.W., Schmidt, J.O., Peck, M.A., Möllmann, C., Kraus, G., Stepputtis, D. and Hinrichsen, H.-H. (2009) Yes, we can – the successful recovery of the Baltic sprat stock. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)
- Voss, R., Peck, M.A., Schmidt, J.O. and Hinrichsen, H.-H. (2008) Changes in the vertical migration behaviour of Baltic sprat larvae. ICES Annual Science Conference, Halifax, Nova Scotia, Canada, 22-26 September 2008. (oral presentation).
- Voss, R., Petereit, C., Schmidt, J.O. and Hinrichsen, H.-H. (2009) The spatial dimension of climate-driven temperature change in the Baltic Sea. ICES Annual Science Conference, Berlin, Germany, 21-25. September 2009. (oral presentation)
- Voss, R., Schmidt, J.O. and Schnack, D. (2007) Impacts of climate change on the Baltic zooplankton – fish larvae link: Evidence for sprat larval behaviour change influencing recruitment levels. 4th International Zooplankton Production Symposium, Hiroshima, Japan.
- Voss, R., Stepputtis, D., Bernreuther, M., Schmidt, J.O. and Hinrichsen, H.-H. (2008) Evaluating the importance of predation during the recruitment process of Baltic sprat and cod. 32st Annual Larval Fish Conference, Kiel, Germany, 4.-7. August 2008 (oral presentation)

Wilson, D. C. and Becker Jacobsen, R. (2009) Governance Issues around Recovery plans in a Mixed Fisheries Context. ICES/PICES/EU/UNCOVER Symposium on Rebuilding Depleted Fish Stocks, Warnemünde, Germany, 3-6 November 2009. (oral presentation)

Working groups

Acronym	Full name
AFWG	ICES Arctic Fisheries Working Group
AGCREMP	ICES <i>Ad Hoc</i> Group on Cod Recovery Management Plan
HAWG	ICES Herring Assessment Working Group for the Area South of 62° N
SGBRE-07-03	STECF Sub-Group meeting on Balance between Resources and their Exploitation
SGHERWAY	ICES Study Group on the Evaluation of Assessment and Management Strategies of the Western Herring Stocks
SGRST-08-02	STECF Subgroup on Stock Reviews
WGANC	ICES Working Group on Anchovy
WGBFAS	ICES Baltic Fisheries Assessment Working Group
WGFCIFS	ICES-PICES Working Group on Forecasting Climate Change Impacts on Fish and Shellfish
WGHMM	ICES Working Group on the Assessment of Southern Shelf Stocks of Hake, Monk and Megrim
WGIAB	ICES Working Group on Integrated Assessment in the Baltic
WGMHSA	ICES Working Group on the Assessment of Mackerel, Horse Mackerel, Sardine and Anchovy
WGPBI	Working Group on Modelling Physical-Biological Interactions
WGSAM	ICES Working Group on Multispecies Assessment Methods
WGWIDE	ICES Working group on Widely Distributed Stocks
WKAEH	ICES Workshop on Age Estimation of European Hake
WKCSMPB	ICES Workshop on Combining Climatic Scenarios and Medium-term Predictions for Baltic Herring and Sprat Stocks
WKMAMPEL	ICES Workshop on Multi-annual Management of Pelagic Fish Stocks in the Baltic
WKMAT	ICES Workshop on Sexual Maturity Sampling
WKOMSE	ICES-STECF Workshop on Fishery Management Plan Development and Evaluation
WKREFBAS	ICES Workshop on Reference Points in the Baltic Sea
WKSHORT	ICES Benchmark Workshop on Short-lived Species

Reports and working documents

- Cerviño, S., F. Cardador, D. Howell, E. Jardim, I. Olaso, A. Punzón, I. Preciado, and F. Velasco, 2009. An age-length cannibal model for South hake with GADGET. ICES WGHMM 2009, WD7
- Cerviño, S., Velasco, F. Preciado, I., Olaso, I., Punzón, A., Jardim, E., Cardador, F. and Howell, D. 2008. An age-length cannibal model for South hake with GADGET. ICES WGHMM 2008, WD21.
- Huret, M. and Petitgas, P. 2007. Anchovy recruitment forecasting and environment. Working Document to the ICES Working Group on the Assessment of Mackerel, Horse-Mackerel, Sardine and Anchovy (WGMHSA). ICES CM 2007/ACFM: 31.
- Huse, G., Fernö, A. and Holst, J.C. 2006. Numerical domination and herring migrations. ICES CM 2006/B:10, 5pp
- ICES, 2006. Report of the Study Group on Regional Scale Ecology of Small Pelagic Fish (SGRESP). ICES CM 2006/LRC:05.
- ICES, 2006. Report of the Workshop on the Decline and Recovery of cod Stocks throughout the North Atlantic, including trophodynamic effects (WKDRCS). ICES CM 2006/OCC:12.
- ICES, 2007. Report of the Study Group on recruitment variability in North Sea planktivorous fish. ICES CM 2007/LRC:07.

- ICES, 2007. Report of the Working Group on Fish Ecology (WGFE). ICES CM 2007/LRC: 03.
- ICES, 2007. Report of the Working Group on Multispecies Assessment Methods (WGSAM), San Sebastian, Spain, 15-19 October 2007. ICES CM 2007/RMC:08, 132 pp.
- ICES, 2007. Report of the Workshop on Limit and Target Reference Points (WKREF). ICES CM 2007/ACFM:05.
- ICES, 2007. Report of the Workshop on the Integration of Environmental Information into Fisheries Management Strategies and Advice (WKEFA). ICES CM 2007/ACFM:25
- ICES, 2008. Report of the Ad hoc Group on Cod Recovery Management Plan (AGCREMP). ICES CM 2009 / ACOM:61
- ICES, 2008. Report of the Arctic Fisheries Working Group (AFWG). 21-29 April 2008, ICES Headquarters, Copenhagen. ICES CM 2008\ACOM:01. 542 pp.
- ICES, 2008. Report of the Working Group on Multispecies Assessment Methods, Copenhagen, 6-10 October 2008. ICES CM 2008/RMC:06, 108 pp.
- ICES, 2008. Report of the Workshop on Reference Points in the Baltic Sea (WKREFBAS). ICES CM 2008 / ACOM:28.
- ICES, 2009. Report of the ICES/HELCOM Working Group on Integrated Assessments of the Baltic Sea (WGIAB). ICES CM 2009/BCC:02.
- ICES, 2009. Report of the Working Group on Multispecies Assessment Methods, Copenhagen, 5-9 October 2009. ICES CM 2009/RMC:xx, xxx pp. (to come)
- ICES, 2009. Report of the Workshop on Multi-annual management of Pelagic Fish Stocks in the Baltic. ICES CM 2009/ACOM:38.
- Kovalev, Y. and Chetyrkin, A. 2008. NEA cod assessment using FLR. ICES AFWG 2008, WD 5.
- Oeberst, R. 2008. Optimum depth stratification during the BITS in spring and autumn. Working document of Baltic International Fish Survey Working group 31.3. – 4.4.2008. ICES CM 2008/LRC:08, 589.
- Petitgas, P. 2008. Principal scales in fish spatial distributions and their use for scenario-based prediction. Working Document to the ICES Working Group on Fish Ecology (WGFE), Copenhagen 3-7 March 2008.
- Simon, M. 2007. Classification of maps of species assemblages: application to small pelagic fish in the Bay of Biscay. Report of Master Degree. Ifremer. STECF Working Group on Evaluation of "Policy Statement" Harvest Rules report. STECF SGMOS-07-07
- STECF, 2008. Harvest Control Rules. Subgroup on stock reviews of the Scientific, Technical and Economic Committee for Fisheries. STECF-SGRST-08-02

Planned and submitted publications (as of April 28th 2010)

- Andersen, K.H. and Rice, J. Direct and indirect community effects of recovery plans. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Brunel, T. Is the age structure of the spawners determinant for recruitment? A meta analysis applied to North East Atlantic fish stocks. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Daewel, U., Peck, M.A. and Schrum, C. (submitted) Life history strategy, climate variability and match-mismatch dynamics during early life of North Sea fish: Coupled IBM-NPZD modelling of Atlantic cod and sprat. *Global Change Biology*
- Da-Rocha, J.M., Cervino, S., Fernández, C. and Gutiérrez, M.J. The economic assessment of the southern hake recovery plan. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Drinkwater, K., Hunt, G., Lehodey, P., Lluch-Cota, S., Murphy, E., Sakurai, Y., Schwing, G., Beaugrand, G. and Sundby, S. 2008. Chapter 2. Climate forcing on marine ecosystems. In: Barange, M., Field, J., Harris, R., Hofmann, E., Perry, I. and Werner, F. (Eds.) *Global Change and Marine Ecosystems: A GLOBEC Synthesis*. Oxford University Press. (submitted)

- Eero, M., Jarre, A., Ojaveer, H., Köster, F.W., Lindegren, M. and Tomczak, M.T. 2010. An indicator-based framework for tracking changes in the ecosystem and in the potential effect of fisheries management on fish stocks in the Baltic Sea. *Can. J. Fish. Aquat. Sci.* (accepted)
- Eero, M., MacKenzie, B.R., Köster, F.W. and Gislason, H. 2008. The Baltic Sea bio-manipulation experiment of the 20th century—resolving impacts of fishing, eutrophication, marine mammals and climate on a cod population. (In prep.)
- Eero, M., MacKenzie, B.R., Köster, F.W. and Gislason, H. 2010. Multi-decadal responses of a cod (*Gadus morhua*) population to human-induced trophic changes, exploitation and climate variability. *Ecological Applications*. (in press)
- Geffen, A.J., Nash, R.D.M. and Dickey-Collas, M. Connectivity between nursery areas and spawning stocks of Atlantic herring (*Clupea harengus*) on the west side of the British Isles, based on otolith microchemistry – *ICES Journal of Marine Science*, 00: 000–000. (submitted)
- Geffen, A.J., Nash, R.D.M. and Dickey-Collas, M. Identification of spawning components in mixed aggregations of Atlantic herring (*Clupea harengus*) along the west coast of the British Isle based on chemical composition of otolith cores. (submitted)
- Geffen, A.J., Nash, R.D.M. and Dickey-Collas, M. Mixing of assemblages of non-spawning Atlantic herring (*Clupea harengus*) on the west side of the British Isle based on chemical composition of otolith cores. *ICES J Mar Sci* (submitted)
- Hammer, C., von Dorrien, C., Hopkins, C.C.E., Köster, F.W., St John, M. and Wilson, D.C. 2010. Framework of fish stock recovery strategies – factors affecting success and failure. *ICES Journal of Marine Science*, 00: 000-000. (submitted)
- Haslob, H., et al. 2008. Female spawning stock biomass as alternative measure for recruitment potential of Baltic sprat. (Manuscript in prep.)
- Haslob, H., Hinrichsen, H.H. and Tomkiewicz, J. 2008. Spatial and temporal variability in Baltic sprat (*Sprattus sprattus* balticus S.) batch fecundity. (Advanced manuscript)
- Hinrichsen, H.H., Dickey-Collas, M., Huret, M., Peck, M.A. and Vikebø, F. 2010. Evaluating the suitability of coupled bio-physical models for fishery management. *ICES Journal of Marine Science*, 67: 000-000. (accepted)
- Hinrichsen, H.H., Kraus, G., Böttcher, U., Köster, F. 2008. Identification of Eastern Baltic cod nursery grounds using hydrodynamic modelling: knowledge for the design of Marine Protected Areas. *ICES J. Mar. Sci.* (in press)
- Hinrichsen, H.H., Kühn, W., Peck, M., Voss, R. The impact of physical and biological factors on the drift and spatial distribution of larval sprat: A comparative study of the Baltic and North Seas. *J. Mar. Syst.* (submitted)
- Hinrichsen, H.-H., Kühn, W., Peck, M.A. and Voss, R. 2010. The impact of physical and biological factors on the drift and spatial distribution of larval sprat: A comparison of the Baltic and North Sea. *Progr. Oceanogr.* (submitted)
- Hinrichsen, H.-H., Peck, M.A., Schmidt, J.O., Huwer, B. and Voss, R. 2010. Survival probability of larval sprat in response to decadal changes in diel vertical migration behaviour and prey abundance in the Baltic Sea. *Limnology & Oceanography*. (accepted)
- Hinrichsen, H.-H., Voss, R., Huwer, B. and Clemmesen, C. 2010. Variability of larval Baltic sprat otolith growth: a modeling approach combining spatial and temporal resolution of biotic and abiotic environmental key variables. *Fish.Oceanogr.* (accepted)
- Howell, D. and Bogstad, B. 2010. Assessing the likely consequences of differing management rules and environmental factors in the Barents Sea using a multispecies Gadget operational model. *ICES J. Mar. Sci.* 00: 000-000. (submitted)
- Hufnagl, M., Peck, M.A., Dickey-Collas, M., Nash, R.D.M., and Pohlmann, T. Climate-driven, Bottom-up Control of North Sea Herring Recruitment. For submission to *Global Change Biol.* (In Preparation)
- Hufnagl, M., Peck, M.A. Physiological-based limits on the survival and growth of larval herring (*Clupea harengus*). For submission to *Mar. Ecol. Prog. Ser.* (In preparation)

- Huret, M., Petitgas, P. and Woillez, M. Dispersal kernels and their drivers captured with a hydrodynamic model and spatial indices: a case study on anchovy (*Engraulis encrasicolus*) early life stages in the Bay of Biscay. Progress in Oceanography. (submitted)
- Huwer, B., Hinrichsen, H. -H., Böttcher, U., Voss, R. and Köster, F.W. 2010. Characteristics of surviving juvenile Baltic cod: field evidence for the critical period hypothesis? Marine Ecology Progress Series. (submitted)
- Kell, L.T., De Oliveira, J., Tidd, A. and Kuikka, S. 2008. The relative values of information and control in management plans: a North Sea cod (*Gadus morhua*) example. (in preparation)
- Kell, L.T., Dulvy, N., Mosqueira, I., Pilling, G. and Nash, R. 2008. Recruitment dynamics in North East Atlantic Cod stocks (*Gadus morhua*): effects of exploitation and environment and consequences for recovery. (in preparation)
- Kell, L.T., Fromentin, J. and Scott, F. 2008. From stock to ecosystem based advice: are reference points a moving target? (submitted)
- Kempf, A., Dingsør, G.E., Huse, G., Vinther, M., Floeter, J. and Temming, A. 2010. The importance of overlap – predicting North Sea cod recovery with a multi species fisheries assessment model. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Kjesbu, O.S. et al. The influence of water temperature on size-specific spawning time of Atlantic cod (*Gadus morhua*). (advanced manuscript)
- Kraus, G., Hinrichsen, H.H., Voss, R., Tomkiewicz, J., Teschner, E., Schaber, M. and Köster, F.W. 2008. Egg production methods to estimate the stock size of Eastern Baltic cod (*Gadus morhua*). ICES J. Mar. Sci. (submitted)
- Lehuta, S., Petitgas, P., Mahévas, S., Vermard, Y. and Huret, M. 2010. Learning from a spatially explicit fishery model: the parameterisation of the anchovy fishery in the Bay of Biscay using ISIS-Fish. ICES Journal of Marine Science, 67: 000-000. (submitted)
- Lindegren, M., Möllmann, C., and Hansson, L.A. 2010. Biomanipulation - a tool in marine ecosystem management and restoration? Ecological Applications. (submitted)
- MacKenzie, B.R., Horbowy, J. and Köster, F.W. 2008. Incorporating environmental variability in stock assessment - predicting recruitment, spawner biomass and landings of sprat in the Baltic Sea. Can. J. Fish. Aquat. Sci. (in press) x: x.
- Mantzouni, I. and MacKenzie, B.R. 2010. Herring recruitment and carrying capacity: the effects of temperature and spawning habitat size across the north Atlantic. Ecol. Appl. (submitted)
- Mantzouni, I. and MacKenzie, B.R. 2010. Why is haddock overtaking cod? Comparative effects of temperature on gadoid recruitment dynamics across the North Atlantic. Proc. R. Soc. B. (submitted)
- Marshall, C.T. and Lambert, Y. Resiliency, rebuilding and recovery in two harvested cod populations. (re-submitted December 2009)
- Marshall, C.T. The capriciousness of condition indices. (in prep)
- McPherson, L.R., Slotte, A., Kvamme, C., Meier, S. and Marshall, C.T. The Unreliability of Fulton's K for Estimating Muscle and Mesenteric Fat in Atlantic Herring (*Clupea harengus* L.). (re-submitted December 2009)
- Miller, D.C.M and Shelton, P.A. 2010. Satisficing and trade-offs: Evaluating rebuilding strategies for Greenland halibut off the east coast of Canada. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Mullan, L., Sandeman, L., Lilly, G., Bleil, M., Oberst, R. and Marshall, C.T. Are morphometric indices reliable indicators of the energetic condition of Atlantic cod (*Gadus morhua* L.)? (in preparation)
- Myksvoll, M., Sundby, S., Ådlandsvik, B. and Vikebø, F. 2008. Mechanisms affecting the transport of early stages of Norwegian Coastal Cod - a fjord study. ICES CM 2008/L:16 (to be submitted)
- Myksvoll, M., Sundby, S., Ådlandsvik, B. and Vikebø, F. Physical mechanisms causing retention of cod eggs in a fjord system. Fisheries oceanography. (in review)

- Nash, R.D.M., Melle, W., Skogen, M. and Kjesbu, O.S. Linkages between condition and reproductive investment of Norwegian spring-spawning herring (*Clupea harengus*) and plankton productive history. (On-going)
- Nash, R.D.M., Ndjaula, H., Kjesbu, O.S., Slotte, A., Melle, W. and Subbey, S. Norwegian spring-spawning herring (*Clupea harengus*): Stock productivity as an indicator of ecosystem status. (advanced manuscript)
- Ndjaula, H., Kjesbu, O.S., Nash, R.D.M. and Marshall, C.T. Life history dynamics of Norwegian spring-spawning herring under fluctuating fishing pressure analysed by historic variation in the intrinsic rate of population growth (r). (On-going)
- Ndjaula, H., Nash, R.D.M., Slotte, A., Johannessen, A. and Kjesbu, O.S. 2010. Long-term changes in the total egg production of Norwegian spring-spawning herring *Clupea harengus* (L.) – implications of variations in population structure and condition factor. Fisheries Research. (in press)
- Neuenfeldt, S. and Köster, F.W. 2010. Baltic cod cannibalism: Differing consequences at stock recovery versus the historic situation of cod decline? (submitted)
- Oeberst, R., Bleil, M. Marshall, C.T., Reid, D. and Dänhardt, A. Multiple spawning stock components in Baltic cod based on long term observations of spatio-temporal patterns of individual fecundity and egg weight. (in preparation)
- Oeberst, R., Dickey-Collas, M., Nash, R.D.M. Mean daily growth of herring larvae based on weekly repeated cruises in the Greifswalder Bodden. ICES J. Mar. Sci. (revised version submitted)
- Overton, J.L., Meyer, S., Støttrup J.G., and Peck, M.A. The role of protists in first feeding by cod (*Gadus morhua* L.) larvae. Mar. Ecol. Prog. Ser. (in revision)
- Overton, J.L., Meyer, S., Støttrup, J.G. and Peck, M.A. 2010. The role of heterotrophic protists in first feeding by cod (*Gadus morhua* L.) larvae. Mar. Ecol. Progr. Ser. (submitted)
- Payne, M.R. 2010. Mind the gaps: a model robust to missing observations gives insight into the dynamics of the North Sea herring spawning components. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Peck, M.A., Temming, A., Buckley, L.J. and Bengtson, D.A. Modelling routine metabolism in Atlantic cod (*Gadus morhua*) larvae, juveniles and adults: Ontogenic changes in the effects of body size and temperature. Functional Ecology. (submitted)
- Petereit, C. 2010. Effects of reduced salinity conditions on Adriatic sprat (*Sprattus sprattus phalericus*) egg and yolk sac larval development. Scientia Marina. (submitted)
- Petitgas, P., Huret, M. and Léger, F. Identifying the limiting factors of recruitment. Special feature on Mortality after ICES WKMOR. (in preparation)
- Petitgas, P., Secor, D., McQuinn, I., Huse, G. and Lo, N. 2010. What is a collapsed stock and what is required for its recovery? Mechanisms that sustain and establish life-cycle closure in space and time. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Preciado, I., Velasco, F., Punzón, A. and Olaso, I. Variability in European hake *Merluccius merluccius* cannibalism in the nursery areas of the Cantabrian Sea (southern Bay of Biscay): influence of prey availability and hake recruitment. ICES Journal of Marine Science, 00: 000-000. (in preparation)
- Radtke, K. and Grygiel, W. “Temporal (1990-2006) variation in the sexual maturity and sex ratio of cod (*Gadus morhua callarias* L.) inhabiting the Gdansk and Bornholm basins”. Paper intends to be submitted for publication in the Acta Ichthyologica et Piscatoria 2009.
- Raid, T., Kornilovs, G., Lankov, A., Nisumaa, A.M., Shpilev, H. and Järvik, A. 2010. Dynamics of the Gulf of Riga herring stock: combined effects of stock and environment. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Rijnsdorp, A.D., van Damme, C.J.G. and Witthames, P.R. 2010. Implications of fisheries-induced impacts on the stock structure and reproductive potential on stock-recovery of a sexual dimorphic species, North Sea plaice. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Schaber, M., Haslob, H., Huwer, B., Harjes, A., Hinrichsen, H.-H., Köster, F.W., Storr-Paulsen, M., Schmidt, J.O., and Voss, R. 2010. Seasonal distribution patterns of the invasive ctenophore

- Mnemiopsis leidyi* in the central Baltic Sea in relation to ichthyoplankton. Mar. Ecol. Progr. Ser. (submitted)
- Skjæraasen, J.E., Nash, R.D.M., Kennedy, J., Korsbrekke, K. and Kjesbu, O.S. The phenomenon of „skipped spawning in Northeast Arctic cod. (Advanced manuscript)
- Storr-Paulsen, M., Tomkiewicz, J., Vitale, F., Karpševskiy, I., Baranova, T., Radtke, C., Oeberst, R. and Köster, F.W. Spatial and temporal changes in spawning probability, sex ratio and weight of Baltic cod (*Gadus morhua*) stocks. (manuscript in prep.)
- Teschner, E., Kraus, G., Neuenfeldt, S., Voss, R., Hinrichsen, H.-H. and Köster, F.W. Impact of Hypoxia on Consumption of Baltic Cod in a Multispecies Stock Assessment context. Journal of Applied Ichthyology. (accepted)
- Vikebø, F. B, Husebø, Å., Slotte, A., Stenevik, E. K. and Lien V.S. 2009. Impact of hatching date, vertical distribution and inter-annual variation in physical forcing on northward displacement and temperature exposure of Norwegian spring spawning herring larvae. ICES Journal of Marine Science, 00: 000-000. (accepted with revision)
- Vikebø, F., Kristiansen, T., Werner, C., Sundby, S., Lough, R.G. and Durbin, E.G. Temperature, light and food mediated growth for larval cod (*Gadus morhua*) at latitudinal extremes. (In preparation)
- Voss, R., Hinrichsen, H.-H., Stepputtis, D., Bernreuther, M., Huwer, B., Neumann, V. and Schmidt, J.O. Egg mortality: Predation versus hydrography in the central Baltic. ICES J. Mar. Sci. (submitted)
- Voss, R., Kraus, G., Möllmann, C., Schmidt, J.O. and Hinrichsen HH. Meso-scale variability in hydrographic conditions and egg distribution in the Bornholm Basin, Baltic Sea – implications for cod egg survival. Fish Res. (submitted)
- Wuillez, M., Petitgas, P., Huret, M., Struski, C. and Léger, F. Statistical monitoring of spatial patterns of environmental indices for integrated ecosystem assessment, the Bay of Biscay pelagic zone as example. Progress in Oceanography. (submitted)
- Wright et al. Environmental and fisheries impacts on stock structure and reproductive potential. (in preparation)
- Yaragina, N.A. 2010. Long-term changes of biological parameters of mature and immature Northeast Arctic cod in 1984-2006. ICES Journal of Marine Science, 00: 000-000. (submitted)
- Yaragina, N.A. and Dolgov, A.V. 2010. Long-term fluctuations of frequency of occurrence of cod prey species as an indicator of the Barents Sea ecosystem health. ICES Journal of Marine Science, 00: 000-000. (submitted)